

SUPPLEMENT TO

The Gazette



of

India

No. 11]

NEW DELHI, SATURDAY, MARCH 17, 1951

OFFICIAL PAPERS

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 17th February, 1951

CHOLERA						SMALLPOX						PLAGUE							
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.	
STATES PART (A) & PART (C)																			
Ajmer																			
TOTAL						1													
(Estd. mid-year pop. 680 thousands)																			
Total for w/e 10-2-51				13		7													
Total for w/e 3-2-51				12		10													
7-yearly mean for the week.				6		2													
Assam																			
Oachar				1															
Khasi and Jaintia Hills				7															
Naga Hills				9		8													
Goalpara				14		9													
Kamrup				14		5													
Darrang				2															
Nowgong				1															
Sibsagar				11		6													
Lakhimpur				4		7													
Sadiya & Frontier Tracts																			
Garo Hills																			
TOTAL				63		35													
(Estd. mid-year pop. 8,101 thousands)																			
Total for w/e 10-2-51				50		11													
Total for w/e 3-2-51				17		9													
7 yearly mean for the week		10		7		26		8											
Bhopal																			
TOTAL																			
(Estd. mid-year pop. 831 thousands)																			
Total for w/e 10-2-51																			
Total for w/e 3-2-51																			
7-yearly mean for the week																			
Bihar																			
Patna				24		7													
Gaya																			
Shahabad		3		1		130		30											
Saran						61		31											
Champaran						13		2											
Muzaffarpur																			
Darbhanga						125		16											
Monghyr																			
Bhagalpur						185		32											
Saharsa						8													
Purnea						33		13											
Santal Parganas		1				196		30											
Bihar—contd.																			
Hazaribagh						25		3											
Ranchi						36		8											
Manbhum				20		8		67		15									
Palamau								37		13									
Singhbhum								24		6									
TOTAL				24		9		964		206									
(Estd. mid-year pop. 38,839 thousands)																			
Total for w/e 10-2-51		1				962		215											
Total for w/e 3-2-51		6		3		1,275		296											
7-yearly mean for the week		56		25		248		43		70		49							
Bombay																			
Bombay						72		17											
Ahmedabad						2													
Kaira																			
Broach						24		1											
Panch Mahals																			
Surat						4													
Thana						32		1											
Bombay Suburbans																			
Ahmednagar						42		3											
East Khandesh						167		28											
West Khandesh						19		7											
Amreli																			
Nasik						20													
Poona						49		2											
Satara North						47		3											
Satara South						2													
Sholapur						41		12											
Sabarkantha																			
Belgaum						1													
Bijapur																			
Dharwar																			
Kanara						42		2											
Ratnagiri						20		2											
Kolaba						9		2											
Kolhapur																			
Baroda																			
Navsari																			
Dangs						1		1											
Malwan																			
Mehsana																			
TOTAL						594		81											
(Estd. mid-year pop. 33,821 thousands)																			
Total for w/e 10-2-51				638		68													
Total for w/e 3-2-51		1				501		83		1		1							
7-yearly mean for the week		9		4		564		124		128		40							

Explanation of the symbols used :— C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th February, 1951—*contd.*

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
		O.	D.	O.	D.	O.				O.	D.	O.	D.	O.	D.
Coorg															
TOTAL		1	Baipur	184	13	3
(Estd. mid-year pop. 174 thousands)								Bilaspur	64	14
Total for w/e 10-2-51		Durg	..	20	1	209	13	5	3
Total for w/e 17-2-51		Bastar	2
7-yearly mean for the week		4	Surguja
Madhya Pradesh—contd.															
								Raigarh
								Amravati	42	7
								Yeotmal	41	6
								Akola	87	4
								Buldana	137	23
TOTAL		22	2	1,444	204	184	39						
Delhi															
Delhi City		(Estd. mid-year pop. 21,368 thousands)							
New Delhi		1	Total for w/e 10-2-51	39	20	1,432	270	86	30	
Delhi Notified Area		1	Total for w/e 3-2-51	112	55	1,881	365	98	28	
New Delhi Cantt.		7-yearly mean for the week	24	12	248	97	506	60	
West Delhi N.A.O.									
Rural Circles									
TOTAL		2								
(Estd. mid-year pop. 1,453 thousands)															
Total for w/e 10-2-51		1	1	Madras							
Total for w/e 3-2-51		6	1	Visakhapatnam	32	6	
7-yearly mean for the week		14	4	Chittoor	..	9	7	323	52
Himachal Pradesh															
Mahasu		East Godavari	105	83	
Mandi		Krishna	..	8	4	135	24
Sirmur		Guntur	318	48	
Chamba		Nellore	..	116	65	45	6
TOTAL		Cuddappah	125	35	
(1941 census pop. 935 thousands)								Kurnool	87	21	
Total for w/e 10-2-51		Bellary	25	5	15	6	
Total for w/e 3-2-51		2	Anantapur	86	20	
Madhya Pradesh															
Nagpur		155	55	Madras	..	7	..	79	8
Wardha		68	8	Chingleput	..	22	19	43	13
Chanda		153	26	Chittoor	..	32	18	19	1
Chhindwara		30	10	16	1	North Arcot	..	37	30	44	11
Betul		63	7	Salem	..	41	28	65	19
Bhandara		..	2	113	7	71	2	Coimbatore	..	240	130	135	32
Jabalpur		11	6	60	27	South Arcot	..	187	112	238	44
Sagar		3	3	1	1	Tanjore	..	330	180	20	9
Mandla		6	..	Tiruchirapalli	..	183	118	40	3	6	6
Hoshangabad		11	6	21	5	Mathurai	..	169	75	58	11
Nimar		3	Rannad	..	73	39	60	10
Balaghat		68	2	1	..	Tirunelveli	..	130	76	47	5
TOTAL															
								Nilgiris	4
								Malabar	72	32
								South Kanara	27
								West Godavari	140	21
								TOTAL	1,584	901	2,372	519	21	12	
(Estd. mid-year pop. 55,055 thousands)															
Total for w/e 10-2-51		2,220	1,188	2,257	551	25	14								
Total for w/e 3-2-51		2,294	1,190	2,179	452	11	5								
7 yearly mean for the week		718	404	1,197	218	92	52								
Manipur No incidence.															

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th February, 1951—contd.

	CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX		PLAGUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
Orissa							Uttar Pradesh						
Outtock	152	37	Dehra Dun	1
Balasore	34	31	Saharanpur	1	1
Puri	2	1	57	7	Musaffarnagar
Sambalpur	4	2	Meerut
Khondmals	Bulandshahr
Ganjam Plains	47	2	Aligarh
Ganjam Agency	27	Mathura
Koraput	7	Agra	5	2
Keonjhar	13	1	Mainpuri
Dhenkanal	26	Etah
Bolangir Patna	1	1	Bareilly
Sundergarh	31	7	Bijnor
Kalahandi	8	2	Budaun
Angul	Moradabad
Mayurbhanj	37	Shahjahanpur
TOTAL	10	3	436	88	Pilibhit
(Estd. mid-year pop. 13,413 thousands)							Farrukhabad
Total for w/e 10-2-51	43	22	535	98	Etawah
Total for w/e 3-2-51	39	15	385	98	Kanpur	1	..	3	2
7-yearly mean for the week	132	74	256	41	Fatehpur
							Allahabad	5	..	2	1
							Jhansi
							Jalaun
							Hamirpur	3	1
							Banda
							Banaras	11	1	16	5
							Mirzapur	4	2
							Jaunpur
							Ghazipur
							Ballia
							Gorakhpur	12	6	18	13
							Deoria	14	..	14	6
							Baqli
							Azamgarh	19	3
							Nainital	4	2
							Almora	4
							Garhwal	2
							Lucknow	1	..	3	..
							Unao	22	5
							Rae Bareilly	6	5	5	2
							Sitapur
							Hardoi	7	4	21	5
							Kheri
							Faizabad	2	..	5	2
							Gonda	7	5
							Bahraich	1
							Sultanpur	10	6
							Partabgarh	3	2	11	5
							Bara Banki	11	7
							Rampur
							TOTAL	109	32	145	61
							(Estd. mid-year pop. 62,134 thousands)						
							Total for w/e 10-2-51	158	20	91	37
							Total for w/e 3-2-51	169	48	118	55
							7-yearly mean for the week	9	4	215	50	501	331
				</									

Explanation of symbols used: C. = Cases; D. = Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th February, 1951—*contd.*

CHOLERA						SMALLPOX						PLAGUE											
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.					
West Bengal												Madhya Bharat											
Burdwan	3	3	142	24	Bhind				
Birbhum	20	5	Bhilsa	4	2				
Bankura	10	4	47	3	Gird				
Midnapur	41	21	120	34	Indore	1	1				
Hooghly	9	5	52	23	Jhpbua				
Howrah	16	5	187	125	Morena				
24 Parganas	75	37	222	82	Mandsaur				
Calcutta	96	24	637	462	Nimar	1				
Nadla	1	1	83	33	Ratlam	1	1				
Murshidabad	62	21	Shivpuri				
Malda	191	32	Shajapur				
West Dinajpur	10	6	TOTAL	7	4				
Jalpaiguri	1	1	Mysore																
Darjeeling	Bangalore	21	13	6	..	1	1				
Cooch Behar	15	2	Chitaldrug	16	6				
Chandernagore	3	1	Kolar	4	1	2				
TOTAL	261	106	1,782	859	Mandya	173	99	34	2	4	1				
(Estd. mid-year pop. 24,045 thousands)							Mysore	141	71	10	5	13	4				
Total for w/e 10-2-51	212	99	1,405	649	Shimoga	22	5				
Total for w/e 3-2-51	248	126	1,276	714	Tumkur	1	1	1				
7-yearly mean for the week	491	251	602	247	TOTAL	335	183	92	20	21	7				
Grand total for States Parts (A) & (C)	1,901	1,021	7,705	2,020	350	112	PEPSU																
(Estd. mid-year pop. 2,77,439 thousands). Total for w/e 10-2-51	2,515	1,329	7,479	1,902	202	81	Return not received.																
Total for w/e 3-2-51	2,703	1,389	7,723	2,086	228	89	Rajasthan																
7-yearly mean for the week	1,477	792	3,406	785	1,313	539	Bikaner	28	8				
STATES PART (B)						Saurashtra																	
Hyderabad						Zalawad	6	1				
Aurangabad	1	..	4	3	Madhya Saurashtra	7	3				
Parbhani	4	2	Sorath	7	1				
Bhir	17	1	3	..	TOTAL	20	5				
Gulberga	2	Travancore-Cochin																
Bidar	17	2	6	9	TOTAL	9	4	102	33				
Osmanabad	2	1	Vindhya Pradesh																
Warrangal	10	9	Shahdol	51	10				
Karimnagar	Tikamgarh	14	5				
Adilabad	4	5	TOTAL	65	15				
Nizamabad	13	3	Grand total for States Part (B)	344	187	550	167	65	26				
Medak	35	7	17	3	Grand total for States Parts (A), (B) & (C)	2,245	1,208	8,345	2,137	415	138				
Nalgonda	22	5	TYPHUS																
Mahbubnagar	11	2	During the week no report of any case of typhus was received.																
Hyderabad	8	2	14	4	POLIOMYELITIS																
TOTAL	146	39	44	19	(Information based on patients treated in hospitals in important towns.)																
Jammu and Kashmir						Place	Period	Cases															
Return not received.						Delhi	16-28 Feb. 1951	5	(Parotid)														

Explanation of symbols used: C.—Cases; D.—Deaths.

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 17th February, 1951.—*concl'd.*

CHOLERA						SMALLPOX						PLAGUE					
C.		D.		C.		D.		C.		D.		C.		D.			
ARREAR INFORMATION																	
Madras						Madras—contd.											
(for w/e 10-2-50)																	
Visakhapatnam.	54	12	—	—	Mathurai	145	54	50	13		
Chicacole	13	10	210	44	Ramnad	85	40	34	9		
East Godavari	94	10	..	—	Tirunelveli	182	113	20		
West Godavari.	82	8	—	..	Nilgiris	2		
Krishna	16	10	91	15	Malabar	81	18		
Guntur	5	3	582	173	South Kanara	11	2		
Nellore	251	126	81	17	TOTAL	2,220	1,188	2,257	551	25	14		
Cuddapah	86	21	Jammu and Kashmir										
Kurnool	50	10	For w/e 6-1-51	8		
Bellary	42	9	25	14	„ 13-1-51	12	3		
Anantapur	79	18	„ 20-1-51		
Madras	12	2	49	10	„ 27-1-51		
Chingleput	38	14	48	15	„ 3-2-51		
Chittoor	33	17	27	4	PEPSU										
North Arcot	57	37	126	24	For w/e 6-1-51		
Salem	74	38	106	35	„ 13-1-51		
Coimbatore	437	250	80	18											
South Arcot	220	139	130	43											
Tanjore	478	241	26	3											
Tiruchirappalli	168	64	10	0											

Explanation of symbols used:— C—Cases; D—Deaths.

NEW DELHI 2 (INDIA) }
The 12th March, 1951.

S. P. JAIN,
for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs. 25,000 in them (inclusive of any Post Office cash certificates held).

Full particulars obtainable from all post offices, District Organisers of the Small-Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th February, 1951

Deaths from :—														
Town	Mid-1951 Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
STATES (Parts A and C)														
Ajmer														
Ajmer	176	140	41.4	..	1	..	4	1	12	..	31	9.2	6	
Beawar	45	41	47.4	10	..	9	..	23	26.6	7	
TOTAL	221	181	42.6	..	1	..	14	1	21	..	54	12.7	13	
Assam														
Bhopal														
Bihar														
Returns not received.														
Bombay														
Ahmedabad	882	593	48.4	80	4	35	3	299	17.1	98	
Ahmednagar	67	63	49.6	3	1	5	1	19	14.1	3	
Amalner	46	16	18.1	6	..	3	..	11	12.4	2	
Bandra†														
Baroda	192	185	50.1	17	4	9	1	61	16.5	17	
Barshi	42	27	33.4	..	2	..	3	..	2	..	18	22.3	4	
Belgaum														
Bhusawal	79	50	33.5	5	2	3	..	27	17.8	4	
Bijapur	45	41	47.4	8	1	2	21	24	27.7	17	
Bijapur	58	35	19.3	2	4	1	14	12.6	3	
Bombay														
Broach	1,829	1,169	33.2	..	16	..	7	1	153	2	712	20.2	163	
Cambay	78	38	25.7	12	..	7	..	38	25.3	7	
Dharwar	38	20	27.3	8	..	1	1	11	15.1	3	
Dhulia	55	43	40.1	1	..	3	1	15	18.1	..	
Gadag-Betgeri	67	50	38.6	92	..	6	2	30	24.3	2	
Godhra	67	33	19.6	6	..	5	..	27	22.4	..	
Hubli †														
Jalgaon	49	24	25.5	1	..	1	2	4	4.2	..	
Kalyan	63	35	28.6	13	..	3	2	33	27.3	9	
Kolhapur	37	19	26.7	2	..	12	16.9	..	
Kurla†	117	89	39.6	2	2	3	2	30	13.3	3	
Malegaon														
Mira†	41	44	55.7	6	1	5	1	17	33.8	4	
Nadiad	39	12	15.0	1	1	5	..	28	39.5	1	
Nasik	59	43	37.8	13	..	3	..	22	28.2	5	
Navsari	59	63	65.5	..	2	..	4	..	2	1	34	30.0	5	
Pandharpur	47	35	38.7	5	1	1	2	13	14.4	4	
Parle Andheri†	37	27	37.9	5	4	8	..	25	35.1	9	
Pune														
Patan	43	33	34.9	9	1	3	..	20	24.3	4	
Poona	319	261	42.6	..	1	..	2	2	36	2	118	19.3	25	
Sangli														
Satara	40	19	25.3	1	1	..	15	20.0	4	
Sholapur	41	24	30.4	2	9	11.4	..	
Surat	274	125	37.0	13	3	34	1	112	21.3	34	
TOTAL	246	157	33.2	16	3	27	..	88	8.6	23	
Delhi State														
Delhi City	246	157	33.2	16	3	27	..	88	8.6	23	
New Delhi	702	474	35.1	57	6	48	1	152	11.3	45	
TOTAL	124	139	58.3	1	2	..	38	15.9	7	
Delhi State														
TOTAL	826	613	38.6	57	7	50	1	190	11.9	52	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal Deaths; D.R.—Death rate; I.D.—Infantile Deaths (included in total deaths).

Births and Deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th February, 1951—*contd.*

Deaths from:—

Town	Mid-1951 Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Pradesh													
<i>Return not received.</i>													
Madras													
Adoni . . .	35	34	47.5	9	19	28.2	3
Ambur . . .	39	31	41.3	2	...	7	9.3	2
Anakapalle . . .	35	15	22.3	...	1	...	6	...	2	1	22	32.7	6
Aruppukottai . . .	36	24	34.7	3	3	1	...	15	22.7	2
Bellary †													
Bhimavaram . . .	33	11	17.3	4	...	1	...	8	12.6	1
Cannanore . . .	35	20	29.7	2	7	10.4	1
Chirala . . .	36	7	10.1	1	5	7.2	1
Chittoor . . .	34	25	38.2	5	...	13	19.9	1
Colembatore †													
Cuddalore . . .	62	31	26.0	4	3	4	1	35	29.4	9
Cuddappah . . .	34	14	21.5	...	1	...	1	1	2	...	11	16.8	4
Dindigul . . .	69	51	39.0	...	1	...	2	3	8	...	36	27.5	7
Eluru . . .	73	40	28.5	...	5	...	11	...	2	...	46	32.8	10
Erode . . .	45	35	54.4	...	3	...	4	...	6	...	24	37.3	6
Guddiyattam . . .	41	17	21.6	3	1	2	...	10	12.7	2
Guntur †													
Kakinada . . .	85	23	14.1	...	2	...	3	...	1	1	17	10.4	3
Kanchiapuram . . .	84	39	24.1	1	4	13	...	42	37.1	6
Kozhikode . . .	154	81	27.3	...	3	...	2	1	10	...	45	15.2	11
Karakudi . . .	36	12	17.3	2	9	13.0	4
Karur . . .	36	11	15.9	1	5	7.2	...
Kumbakonam . . .	72	58	36.1	1	2	9	1	40	28.0	2
Kurnool . . .	56	52	48.3	...	1	...	2	1	1	...	22	26.4	9
Madras . . .	1,027	875	44.3	...	9	...	59	88	181	3	716	36.2	184
Mangalore . . .	96	28	15.2	...	5	...	6	...	8	...	44	23.8	9
Masulipatnam . . .	61	31	26.4	...	1	...	3	...	2	...	26	22.2	5
Mathurai . . .	298	271	40.9	24	1	...	10	13	49	4	189	28.5	29
Mayuram †													
Melapalayam . . .	33	16	25.2	2	...	19	29.4	...
Nagapattinam . . .	32	19	30.9	1	2	6	...	16	26.0	3
Nagapattinam . . .	57	13	11.9	2	2	...	1	...	18	16.4	4
Nellore . . .	67	19	14.8	11	6	1	2	...	61	47.3	7
Ootacamund . . .	35	26	38.7	3	3	...	20	29.7	9
Palyamkottai . . .	34	34	52.0	1	3	1	4	...	26	39.8	5
Palghat . . .	61	43	36.6	...	4	...	1	1	5	2	29	23.8	3
Proddatur . . .	34	25	35.7	...	1	...	1	2	3	...	13	19.9	1
Pudukottai . . .	40	35	45.5	7	2	4	...	26	39.8	3
Rajahmundry . . .	86	42	25.4	...	3	...	4	1	4	...	40	24.2	6
Rajapalayam . . .	54	39	37.6	1	7	7	1	26	25.0	4
Salem . . .	158	116	38.2	1	5	...	2	3	17	...	75	24.7	9
Srivilliputtur . . .	37	26	36.5	1	5	1	...	20	28.1	6
Tanjore . . .	71	68	49.3	11	4	...	3	...	2	...	56	41.0	7
Tellicherry . . .	42	31	38.4	...	1	1	1	13	16.1	3
Tenali . . .	47	21	23.2	1	3	...	10	11.1	3
Tiruchirappalli †													
Tirunelveli . . .	64	44	35.8	1	3	5	...	33	26.8	7
Tiruppur †													
Tiruvannamalai . . .	40	8	10.4	...	1	...	1	2	1	...	5	6.5	3
Tuticorin . . .	91	58	33.1	2	6	6	16	...	65	37.1	10
Vaniyambadi . . .	40	21	27.3	1	6	7.8	...
Vellore . . .	86	80	48.4	3	3	11	...	47	25.4	12
Vijayavada . . .	113	55	25.3	8	...	6	...	33	15.2	3
Virudunagar . . .	36	30	43.3	1	3	...	4	2	3	1	25	36.1	7
Vizakhapatnam . . .	84	45	27.8	...	2	...	7	4	4	...	28	17.3	4
Vizianagaram . . .	59	35	27.1	...	2	...	6	2	6	...	39	34.4	10
TOTAL . . .	4,113	2,785	35.2	56	59	...	196	172	440	16	2,162	27.3	446

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B. R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory diseases; M. D.—Maternal Deaths; D. R.—Death rate; I. D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending, the 17th February, 1951—*contd.*

Town	Mid-1951 Popn.-Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	D ¹	
				C.	S.	P.	F	D.D.	R.D.	M.D				
Orissa														
Berhampur.	50	48	50.0	..	3	..	5	3	2	..	24	25.0	7	
Cuttack	84	63	59.1	..	9	..	12	5	5	..	66	40.9	13	
Puri	45	40	46.3	..	2	..	7	4	1	..	26	30.1	6	
TOTAL	179	151	43.9	..	14	..	24	12	8	..	116	33.7	26	
Punjab (I)														
Ambala	53	36	35.4	10	..	7	..	18	17.7	5	
Amritsar	520	143	14.3	3	2	37	..	91	9.1	14	
Batala	56	23	21.4	5	1	14	13.0	3	
Bhiwani	52	35	35.1	7	..	5	..	15	15.0	5	
Fazilka	38	7	9.6	5	..	5	..	12	16.5	3	
Ferozepore	48	27	29.3	1	..	5	..	13	14.1	1	
Hissar	32	17	27.7	4	1	7	..	17	27.7	8	
Hoshiarpur	44	11	13.0	4	..	5	5.9	2	
Jullundur	149	81	28.4	5	..	11	..	26	9.1	14	
Karnal	49	22	23.4	1	..	5	..	8	8.5	1	
Ludhiana	156	58	19.4	7	1	5	..	26	8.7	8	
Moga	38	16	21.9	4	..	1	..	5	6.9	1	
Panipat	43	33	40.0	9	..	2	..	16	19.4	1	
Rewari	35	21	31.3	2	..	2	..	11	10.4	6	
Rohtak	61	44	37.6	9	12	10.3	3	
TOTAL	1,374	574	21.7	72	5	96	..	289	10.9	75	
Uttar Pradesh														
Agra	360	314	45.4	..	2	4	91	..	132	19.1	40	
Allahabad	332	235	36.9	2	32	..	61	9.6	15	
Amroha	67	62	48.0	3	3	10	..	23	17.8	5	
Bahraich	47	27	30.1	5	1	7	7.8	2	
Balrampur	52	10	10.0	5	1	9	9.0	2	
Banaras	313	273	45.5	..	1	..	40	7	31	..	149	24.8	26	
Bareilly	240	187	40.6	9	..	21	..	56	12.2	16	
Budaun	59	32	28.3	7	..	3	..	12	10.6	1	
Dehra Dun	105	39	19.3	2	..	8	..	22	10.9	5	
Etawah	59	51	44.7	11	..	5	..	24	21.0	5	
Faizabad-Ajodhya	58	26	23.2	7	2	4	..	22	19.6	4	
Farrukhabad-Fatehgarh	65	60	48.4	6	..	7	..	16	12.9	5	
Ferozabad	57	42	38.5	3	2	8	..	17	15.6	7	
Ghazipur	35	33	48.8	4	..	4	..	18	26.6	2	
Gorakhpur	123	40	19.5	18	1	6	..	35	14.8	8	
Hapur	48	31	34.0	1	..	4	..	11	12.0	3	
Hardwar Union	72	42	30.4	9	1	6	..	21	15.2	4	
Hathras	57	42	38.3	4	..	9	1	15	13.7	2	
Jaunpur	52	30	29.0	3	..	3	..	11	11.0	..	
Jhansi	91	102	58.1	14	..	2	..	21	12.0	7	
Kanpur	701	303	22.5	95	28	21	5	257	19.1	77	
Khurja	42	22	27.4	1	..	3	..	5	6.2	1	
Koil Aligarh	146	92	32.9	8	1	7	..	27	9.7	6	
Lucknow	498	405	42.4	38	5	39	1	176	18.4	38	
Mathura	102	84	42.9	5	..	11	..	23	11.7	6	
Meerut	163	141	45.2	2	..	14	..	25	8.0	4	
Mirzapur-Vindhyachal	82	54	35.5	6	2	3	..	17	10.9	3	
Moradabad	169	153	42.2	1	3	27	..	48	13.2	19	
Muzaffarnagar	66	42	32.9	3	..	6	..	13	10.2	2	
Pilibhit	54	48	46.5	1	..	4	..	16	15.5	8	
Rampur	105	29	14.4	4	..	3	..	12	6.0	1	
Saharanpur	171	103	31.4	31	..	8	..	49	15.0	7	
Sambhal	64	78	63.4	2	1	14	..	23	18.7	7	
Shahjahanpur	135	66	25.1	11	..	4	..	22	8.5	3	
Sitapur	38	23	31.7	..	1	3	..	10	13.8	2	
TOTAL	4,543	3,326	35.7	..	4	..	359	63	421	8	1,405	15.1	343	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th February, 1951—*contd.*

Town	Mid-1951 Popn-Est. (000)	Deaths from—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
West Bengal		Return not Received.													
Jammu and Kashmir		Return not received.													
Madhya Bharat															
Greater Gwalior	240	43	9.3	2	13	2.8	..		
Indore City	278	180	33.7	28	3	12	..	96	18.0	30		
Ratlam	52	26	26.0	..	1	..	4	1	14	..	26	26.0	4		
Ujjain City	109	55	26.2	2	1	7	1	43	20.5	12		
TOTAL	679	304	23.3	..	1	..	36	5	33	1	178	13.6	46		
Mysore State															
Bangalore City	510	469	47.8	3	30	30	..	186	18.9	—		
Kolar Gold Fields†	195	121	32.2	8	4	56	14.9	..		
Mysore City	195	121	32.2	8	4	56	14.9	..		
TOTAL	705	590	43.5	11	34	30	..	242	17.8	—		
PEPSU															
Malerkotla	39	11	15.9	1	..	2	..	3	5.6	..		
Patiala	85	50	30.6	9	..	3	..	17	10.4	2		
TOTAL	121	61	26.2	10	..	5	..	20	8.6	2		
Rajasthan															
Alwar†	170	64	19.5	..	3	2	11	..	24	7.3	6		
Bikaner	204	41	10.4	30	3	8	..	87	22.1	32		
Jaipur	160	52	16.9	8	1	3	..	35	11.3	..		
Jodhpur	74	2	1.4	3	1	4	2.8	..		
Udaipur	74	2	1.4	3	1	4	2.8	..		
TOTAL	608	159	13.6	..	3	..	41	6	22	1	150	12.8	38		
Saurashtra															
Bhavnagar	131	52	20.6	13	1	6	..	36	14.3	..		
Dhoraji	46	26	29.4	9	2	13	14.7	..		
Jamnagar†	34	24	30.7	3	1	4	6.1	..		
Jetpur	77	24	16.2	16	..	7	..	29	19.6	3		
Junagadh	56	18	16.7	6	6	5.6	..		
Morvi	56	18	16.7	6	6	5.6	..		
Porbandar	64	25	20.3	10	..	1	..	19	15.4	6		
Rajkot	74	88	61.8	—	3	..	39	1	3	..	46	32.2	..		
TOTAL	482	257	27.7	..	3	..	96	5	17	..	153	16.5	9		
Travancore-Cochin															
Alleppey	69	60	45.2	1	10	7.5	..		
Ernakulam	57	23	21.0	1	..	1	..	46	42.0	3		
Kottayam	42	49	60.7	3	2	11	13.6	1		
Mattancherry	68	31	23.7	1	..	2	..	7	5.4	..		
Nagercoil	61	28	23.9	7	..	2	..	15	12.8	..		
Quilon	66	125	98.5	4	..	5	..	21	16.6	2		
Trichur	70	43	31.9	3	1	1	..	14	10.4	5		
Trivandrum	162	127	40.8	6	1	11	..	37	11.9	3		
TOTAL	595	486	42.5	25	5	22	..	161	14.1	14		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th February, 1951—*contd.*

Deaths from:—

Town	Mid.-1951 Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
ARREAR RETURNS													
Travancore-Cochin													
<i>For w/e the 10th February 1951</i>													
Alleppey	69	54	40.7	3	1	1	...	10	7.5	1
Ernakulam	57	58	52.9	2	14	12.8	3
Kottayam	42	41	50.8	1	3	3.7	1
Mattancheri	68	24	18.4	3	..	4	..	19	14.5	1
Nagercoil	61	27	23.0	4	11	9.4	..
Quilon	66	73	57.5	...	1	...	1	2	2	...	14	11.0	1
Trichur	70	55	40.9	1	..	1	...	7	5.2	1
Trivandrum	102	85	27.3	4	..	10	1	34	10.9	3
TOTAL	595	417	36.4	...	1	...	19	3	18	1	112	9.8	11
West Bengal													
<i>For w/e the 27th January, 1951</i>													
Asansol†													
Bally	71	1	1	1	..	5	3.7	..
Bankura	62	20	16.8	1	1	0.8	..
Baranagar	72	15	10.8	1	6	..	4	4	3	..	27	19.4	7
Berhampur	56	26	24.1	4	..	1	..	11	10.2	..
Bhatpara	150	33	11.5	..	2	..	8	5	4	2	64	22.2	5
Budge-Budge	41	6	7.7	1	1	..	1	2	3	..	9	11.5	..
Burdwan	87	15	9.0	..	3	..	1	1	1	..	10	6.0	..
Calcutta	3,086	912	15.4	24	372	..	100	99	257	3	1,246	21.0	..
Champdani	39	6	8.1	..	1	2	2.7	..
Garden Reach	115	39	17.6	..	1	..	4	4	3	..	13	8.1	3
Hooghly-Chinsura	66	44	34.7	..	1	..	7	4	1	..	17	13.4	1
Howrah	539	66	6.4	2	104	..	10	14	53	1	260	25.2	50
Kamarhati †													
Krishnagar	40	1	1	1.3	..
Midnapur	55	22	21.0	..	5	2	15	14.3	3
Nabadwip	43	21	25.6	..	23	..	13	2	1	..	46	56.8	..
Naihati	54	3	2.9	3	1	2	..	9	8.7	3
Serampur	72	21	15.2	..	3	..	5	3	3	..	19	13.7	3
South Suburban	88	10	5.9	..	3	..	1	5	2	..	17	10.0	4
Titagarh	66	19	15.1	..	7	..	22	..	1	..	35	27.9	..
Tollygunj	94	12	6.7	..	3	3	1.7	..
TOTAL	4,896	1,290	13.7	28	536	..	184	147	339	7	1,815	19.3	79
Madhya Pradesh													
<i>For w/e the 10th February, 1951</i>													
Akola†													
Amravati†													
Bilaspur	44	22	26.2	2	2	1	..	12	14.3	..
Burhanpur	64	53	42.9	..	2	..	11	..	1	..	33	26.7	..
Chanda	44	16	19.1	..	2	..	4	1	1	..	13	15.5	8
Damoh†													
Ellichpur †													
Hinganghat	34	16	24.7	3	2	4	6.2	..
Jabalpur	177	72	21.1	9	1	4	..	32	9.4	7
Khandwa	42	20	24.5	4	1	14	17.1	..
Nagpur†													
Nagpur Civil Station†													
Rajpur†													
Sagar†													
Wardha	37	20	27.8	2	5	6	8.3	..
Yectmal	32	23	37.0	4	1	2	..	10	16.1	1
TOTAL	474	242	26.5	..	4	..	39	6	9	7	124	13.6	16

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R.D.—Respiratory diseases; M.D.—Maternal deaths; D.R.—Death rate; I.D.—Infantile deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th February, 1951—*contd.*

Deaths from:—

Town		Mid-1951 Popn.-Est. (000)	B.	B.R.*	O.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
Madhya Pradesh For w/e														
Wardha	21-1-51	37	12	16.7	..	2	6	8.3	1
Ringanghat	21-1-51	34	16	24.7	..	1	7	10.8	2
Kola	21-1-51	78	34	22.7	..	20	1	2	1	41	27.3	11
Kola	28-1-51	"	30	20.0	..	21	3	5	1	40	30.7	5
Bihar For w/e the 6th January 1951														
Bettiah		57	6	5.4	..	2	..	3	..	1	..	9	8.2	..
Bihar		33	4	6.4	3	2	5	7.9	1
Bihar		62	12	10.0	1	5	4.2	..
Bihar		103	6	3.0	6	18	9.1	..
Bihar		63	17	14.0	5	9	7.4	..
Bihar		78	26	17.3	4	1	10	6.8	..
Dinapur-Nizamat		37	3	4.3	2	2	2.8	..
Gaya		123	78	33.0	..	13	..	12	2	15	..	58	24.5	..
Jamalpur		49	3	3.2	1	1.1	..
Jamshedpur		216	83	20.0	1	1	..	2	1	15	3.6	3
Monghyr		74	7	4.9	2	1	4	2.8	..
Muzaffarpur		66	16	12.7	4	12	9.5	..
Patna		192	19	5.1	..	5	..	2	14	3.8	..
Purulia		35	3	4.5	1	2	3.0	..
Ranchi		59	21	18.8	..	1	..	4	1	21	18.8	..
TOTAL		1,247	304	12.7	1	21	..	50	7	18	1	185	7.7	4
Bihar For w/e the 13th January 1951														
Arrah		57	9	8.2	..	3	..	2	6	5.4	..
Bettiah		33	6	9.5	1	1.6	..
Bihar		62	18	15.0	2	3	7	5.8	..
Bhagalpur		103	2	..	6	15	7.5	..
Chapra		63	9	7.4	2	5	4.1	..
Darbhanga		78	28	18.7	..	3	2	9	6.0	..
Dinapur-Nizamat		37	52	73.3	5	1	9	12.7	..
Gaya		123	38	16.1	..	22	..	25	7	13	..	79	33.4	..
Jamalpur		49	3	3.2	1	1	1.1	..
Jamshedpur		216	78	18.8	2	2	2	17	4.1	4
Monghyr		74	11	7.8	2	1	7	4.9	..
Muzaffarpur		66	9	7.1	4	13	10.3	..
Patna		192	21	5.7	..	14	..	4	2	2	..	34	9.2	..
Purulia		35	3	4.5	..	2	..	1	9	13.4	..
Ranchi		59	16	14.4	..	1	..	3	15	13.5	..
TOTAL		1,247	301	12.6	..	47	..	57	18	15	2	227	9.5	4
Bihar For w/e the 20th January, 1951														
Arrah		57	10	9.1	2	1	5	4.5	..
Bettiah		33	13	20.6	..	3	..	3	..	1	..	7	11.1	..
Bihar		62	16	13.3	2	3	11	9.2	..
Bhagalpur		103	16	8.1	4	9	4.6	..
Chapra		63	11	9.1	4	1	1	..	7	4.5	..
Darbhanga		78	25	16.7	..	1	..	4	10	6.7	..
Dinapur-Nizamat		37	7	9.9	1	1.4	..
Gaya		123	31	13.1	..	21	..	20	4	11	..	67	28.3	..
Jamalpur		49	8	8.5	..	1	3	3.2	..
Jamshedpur		216	57	13.8	3	..	8	1.9	2
Monghyr		74	14	9.9	2	5	3.5	..
Muzaffarpur		66	11	8.7	3	7	5.6	..
Patna		192	15	4.1	..	4	7	1.9	..
Purulia		35	9	13.4	2	3	4.5	..
Ranchi		59	23	20.6	1	17	15.3	..
TOTAL		1,247	263	11.1	..	30	..	45	11	16	..	137	7.0	2

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth rate; O.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery & Diarrhoea; R.D.—Respiratory disease; M.D.—Maternal deaths; D.R.—Death rate; I.D., Infantile deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for the week ending the 17th February, 1951 relate to 164 towns with an estimated population of 19,707 thousands. The total number of towns is 234 and their population is 29,017 thousands. Thus 70% of the total number of towns representing 68% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 12,910 and 7,011 representing birth and death rates of 34.1 and 18.5 per thousand of population respectively.

(A) *States (Parts A and C).*—The data here relate to 137 towns with an estimated population of 16,517 thousands. Information about Assam, Bihar, Madhya Pradesh and West Bengal could not be included. The total number of towns is 202 and their population is 25,187 thousands. Thus 68% of the total number of towns representing 66% of the total population is covered. The numbers of births and deaths

recorded in these towns were 11,053 and 6,102 representing birth and death rates of 34.8 and 19.2 per thousand of population respectively. The table at the end gives the position by States.

No towns recorded a high death rate of 50 or over per thousand of population.

(B) *States (Part B).*—The data here relate to 27 towns with an estimated population of 3,190 thousands. The total number of towns is 32 and their population is 3,830 thousands. Thus 84% of the total number of towns representing 83% of the total population is covered. The numbers of births and deaths recorded in these towns were 1,857 and 909 representing birth and death rates of 30.3 and 14.1 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 17.2.51		Corresponding w/e last year		Corresponding mean during the previous 5 years p.m.	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	42.6	12.7	32.0	18.8	32.2	20.3
Bombay	35.2	19.4	30.6	20.6	28.6	22
Delhi	38.6	11.9	37.7	16.4	29.4	15
Madras	35.2	27.8	36.3	25.2	34.4	25
Orissa	43.9	38.7	32.2	31.6	32.2	30
Punjab (I)	21.7	10.9	29.1	11.3	27.5	11
Uttar Pradesh	35.7	15.1	29.0	19.6	31.4	19
India (only States parts A & C)	34.8	19.2	31.7	20.6	27.0	18

NEW DELHI 2 (INDIA);

The 12th March, 1951.

S. P. JAIN,

For Registrar General, India